



# Grade Level

EBW spill containers are designed to collect spilled product that occurs during normal tank filling on underground storage tanks. Threaded base models are available in cast iron or composite. Slip-on (retrofit) models use a gasket flanged bolt system to secure the spill bucket to the riser pipe and are designed to eliminate the need to remove the riser pipe from the underground tank when installing.

## Highlights

- **Solid Construction** - The durable and flexible polyethylene shell is designed to move with natural ground movements. The shell is equipped with a gravel guard to prevent backfill material from filling in around the movable shell, eliminating problems with ground movement.
- **Cast Iron or Composite Base** - Ensures a long lasting, watertight seal.
- **Heavy Duty Cast Iron Deflector** - Provides protection from heavy traffic and truck plows and allows for water to run away from the spill container top, eliminating water collection in the bucket.
- **Drain Valve** - Allows emptying of contained product back to the storage tank. The drain is equipped with a screen for convenient cleaning.
- **Cover Options** - Includes FRC raintight in API colours, FRC black snap-on, raintight aluminium, watertight locking aluminium and cast iron.
- **Optional API Cover Identification Plates** - Clearly identifies the product contained in the storage tank and helps to prevent cross contamination. Identification plates are available for all standard API symbols.
- **Highway 20 Rated (D.O.T. H20)** - All EBW spill containers and manways exceed the D.O.T. H20 requirements.
- **All EBW spill containers and manways exceed the D.O.T. H20 requirements.**
  - EVR Phase 1 Certification VR-103 (7XX-49Y-0Z models).

## Specifications

### Materials

- Base: cast iron or composite.
- Bucket: polyethylene.
- Mounting ring: cast iron.
- Cover: fiber reinforced composite (FRC), cast iron or aluminium.

### Design Features

Number	Description
1	Heavy duty cast iron deflector ring
2	Drain valve
3	Cast iron or composite base

Model	A		B		C	
	In.	cm	In.	cm	In.	cm
702	17.12	43.48	13.25	33.7	15.88	40.3
703	17.12	43.48	13.25	33.7	15.88	40.3
705	17.12	43.48	14.75	37.46	15.69	39.85
715	17.12	43.48	23.5	59.69	22.5	57.15



## Order Information

### Composite Base Spill Containers

Model, with drain	Description	Capacity		Cover	Weight	
		Litre	Gallon		Kg	Lbs.
70547101BLK	Spill Container 5 gal. 4" NPT composite base Black	19	5	Black, FRC, rain tight	19.3	42

### Cast Iron Base Spill Containers

Model, with drain	Description	Capacity		Cover	Weight	
		Litre	Gallon		Kg	Lbs.
70547001BLK	Spill Container 5 gal. 4" NPT CI base Black	19	5	Black, FRC, rain tight	25	54
70547021BLK	Spill Container 5 gal. 4" BSPT CI base Black	19	5	Black, FRC, rain tight	25	54
70547201BLK-S	Spill Container 5 gal. 4" NPT CI base Black Snap-On	19	5	Black, snap-on	25	54
70547965CI-GKT	Spill Container 5 gal. 4" NPT grey epoxy CI	19	5	Grey epoxy coated cast iron w/ gasket	25.4	56
70547901CI-GKT	Spill Container 5 gal. 4" NPT grey epoxy CI & RCA	19	5	Grey epoxy coated cast iron w/ gasket, RCA *	25.4	56
70549001BLK	Spill Container 5 gal. 4" NPT Rain Tight FRC Black	19	5	Black, FRC, rain tight	26.7	58
71547001BLK	Spill Container 15 gal. 4" NPT Rain Tight FRC Black	57	15	Black, FRC, rain tight	28	62
72547001BLK	Spill Container 25 gal. 4" NPT Rain Tight FRC Black	95	25	Black, FRC, rain tight	42	92

Model, without drain	Description	Capacity		Cover	Weight	
		Litre	Gallon		Kg	Lbs.
70545801BLK	Spill Container 5 gal. 4" NPT Rain Tight FRC Black	19	5	Black, FRC, rain tight	29.4	64
70547202BLK-S	Spill Container 5 gal. 4" NPT Rain Tight Black Snap	19	5	Black, snap-on	28	62
70547902CI-GKT	Spill Container 5 gal. 4" NPT grey epoxy CI & RCA	19	5	Grey epoxy coated cast iron w/ gasket, RCA *	30.8	68
70549002BLK	Spill Container 5 gal. 4" NPT CI base FRC Black	19	5	Black, FRC, rain tight	19.3	42
71547202BLK-S	Spill Container 5 gal. 4" NPT CI base Black Snap-On	57	15	Black, snap-on	28	62

NOTE: These models are all NPT bases. BSPT available on some models only.



**Order Information continued**

**Raintight Cover Options**

Suffix	Description
BLK	Black, raintight
WHT	White, raintight
RED	Red, raintight
YEL	Yellow, raintight
GRY	Grey, raintight
ORG	Orange, raintight
BRN	Brown, raintight
WHT-X	White, raintight with black cross
RED-X	Red, raintight with white cross
ALUM	Aluminium
CI	Cast iron
CI-GKT	Cast iron with gasket
WATERT	Watertight aluminium

*Note: You must specify cover option at time of order.*

**12" Replacement Covers For Grade Level Spill Containers**

Model	Description
70517101	Replacement clips for snap-on covers
70533301*	FRC black snap-on
70540900	Aluminium
70542301	FRC standard black cover
70542302	FRC white
70542303	FRC red
70542305	FRC yellow
70542307	FRC orange
70543000	Cast iron
70544011	Cast Iron with gasket in black
71043001	Aluminium watertight for use on 705 and 715 grade level spill containers

*\*Snap-on lids fit only on special snap-on spill containers. Please consult factory. Minimum quantities may apply.*

