

THE INDUSTRY'S BEST CONTINUOUS DUTY FUEL TRANSFER PUMP

NX25 SERIES PRODUCT OVERVIEW BROCHURE





NX25 Series with nextec Intelligence™

- ✓ Continuous Duty** -Transfer fuel all day
- ✓ True 25 GPM -Hiah flow fuel transfer rates at the nozzle
- ✓ Intelligent Tones Simplify troubleshooting
- ✓ Variable Speed Motor Optimize performance and improve suction lift

Models & Specifications

Fill-Rite is proud to announce the newest extension of its continuous duty family with the release of the new nextec Intelligence™ AC models. The NX25-120 and NX25-240° fuel transfer series allow fleet managers to fuel all day with less downtime due to short duty cycles or overheating. Our industry-leading pumps are equipped with a variable speed motor and Fill-Rite's exclusive nextec Intelligence™ technology for elite performance in harsh applications. Its low-profile, lightweight construction eases installation while still moving fuel more efficiently than the competition.

Flow Rate: 25 gpm / 95 lpm

Voltage: 120VAC and 240VAC* (50/60 Hz) models

Horsepower: 1/3 HP

Duty Cycle: Continuous duty for fuel transfer

Inlet/Outlet: 1 1/4" - 1" (NPT or BSP)

Compatible fluids: Diesel, Gasoline, Bio-Diesel up to B20,

E15, Kerosene, Mineral Spirits, Methanol (up to 15%)









NX25-120NB-PX	N	120V pump only, bung mount
NX25-120NB-AA	N	120V pump, bung mount, 1" X 18' hose, ultra hi-flow nozzle
NX25-120NB-AB	N	120V pump, bung mount, 1" X 18' hose, ultra hi-flow nozzle, 900CD meter
NX25-120NB-AC	N	120V pump, bung mount, 1" X 18' hose, ultra hi-flow nozzle, 900CDP meter
NX25-120NB-AD	N	120V pump, bung mount, 1" X 20' arctic hose, arctic auto nozzle
NX25-120NB-AE	N	120V pump, bung mount, 1" X 20' arctic hose, arctic auto nozzle, 900CD meter
NX25-120NF-PX	N	120V pump only, foot mount
NX25-120NF-AA	N	120V pump, foot mount, 1" X 18' hose, ultra hi-flow nozzle
NX25-240NF-PX*	N	240V pump only, foot mount
NX25-240BF-PX*	В	240V pump only, foot mount
NX25-240BB-PX*	В	240V pump only, bung mount

N - NPT threads B - BSP threads



- ✓ Lightweight Hassle-free installation
- ✓ Auto Power Down After 20 Minutes - Reduce energy costs
- ✓ Magnetic Switch Smooth operation and field replaceable
- ✓ Reduced Vapor Lock Keep running in harsh summer temperatures
- ✓ Slow Down in Bypass Reduce energy consumption
- ✓ Remote On/Off Ideal for tall, above ground tanks



*NX25-240 available in 2020 **Rated continuous duty for fuel transfer



NOTHING CAN STOP YOU NOW.

FIL-BR-488

TUTHILL US

8825 Aviation Drive Fort Wayne, IN 46809 (260) 747-7524 or (800) 6<u>34-2695</u>

TUTHILL UK

Ilkeston, Derbyshire DE7 8YA UK +44 115 944 6774



