


# INDUSTRY-LEADING PROTECTION FOR GASOLINE QUALITY

No more water infiltration. No more gas evaporation.  
No more dust and debris.

Patent Number: CA 2717993

**Unmatched  
Sealing!**



Easy-to-use lock handle

The Jaly Cap is the first and only gasoline tank filler cap that has an integrated lock mechanism with a «lock-unlock» visual color indicator. **Eliminate cumbersome padlocks and keys!**

Our Viton® O-ring offers unmatched sealing, which prevents gas evaporation and ensures maximum protection against water and other gasoline contaminants.

Easy to open with **our signature lock handle.**

**Fire-resistant.** Self-extinguishes after being exposed to projected flames of 1500 °F for 25 seconds.


**Highly robust construction.** Made from acetal for maximum impact resistance. Resists E10 gasoline, E85 gasoline and biodiesel. Permeability resistance meets EPA/CARB regulations.

**Optimal security.** 4 solid latches.

*The Jaly Cap is for use only with four-inch pipe adaptors with wrenching lugs.*


## ↑ LOCK

⚠ This cap will only open with the Jaly handle. Keep it in a safe place.




## ↑ UNLOCK



1 Insert handle over the arrow and slide forward.



2 To unlock: Press hand lever down firmly and turn counterclockwise.



3 Remove the handle by sliding it backwards. **Do not press hand lever.**



# PATENTED TECHNOLOGY

Unmatched Sealing!

